
Innovating for a brighter world



Pricelist - Lighting & Luminaires w.e.f 15th Sep 17

www.polycab.com



a dia

INDEX

an a			
	MODERNIA		1 - 4
	DOMESTICO		5 - 10
	INDUSTRIA		11 - 14
	ARENIA		15 - 18
	URBANIA		19 - 22
	GARDENIA		23 - 26
	LAMPS		27 - 28
	ACCESSORIE	5	29 - 30





LED SLIM PANEL Edgelit LED Slim Panel having white powder coat

Edgelit LED Slim Panel having white powder coated extruded Aluminium body with high quality LGP and PMMA diffuser. Separate HPF driver. Suitable for Armstrong and Grid ceiling. Separate accessories available for surface mounting PCGLP 2x2. Available CCT 6000K. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0401018	PCGLP ECO 2x2 40 60	40 W	6000 K	9405	5	4,800
PMD0401002	PCGLP 2x2 40 60	40 W	6000 K	9405	4	5,400



LED BACK LIT PANEL

Back lit LED Panel having white Polycarbonate body & Aluminium plate heat sink, high quality PMMA diffuser and HPF driver. Suitable for Gypsum, POP, Armstrong and Grid ceiling. Available CCT 5700K. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE Lot	MRP (₹)
PMD0404008	PCGLBLP 40 E 57	40 W	5700 K	9405	4 N	4,100
PMD0404009	PCGLBLP 01 40 E 57	40 W	5700 K	9405	4 N	3,900



LED BACK LIT PANEL

Back lit LED Panel having white CRCA body, high quality PMMA diffuser. Separate HPF driver. Suitable for Armstrong and Grid ceiling. Available CCT 5700K. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0405005	PCGLLL 36 57	36 W	5700 K	9405	2	4,400
PMD0404001	PCGLBL 45 57	45 W	5700 K	9405	2	5,400
PMD0404006	PCGLBL 55 57	55 W	5700 K	9405	2	7,750

LED DECORATIVE 1X4 SLIM PANEL

Edgelit LED Slim Panel having white powder coated extruded Aluminium body. High quality LGP & PMMA diffuser. Suitable for Armstrong and Grid ceiling. Available CCT 5700K. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0401017	PCGLP 1x4 40 57	40 W	5700 K	9405	4 N	5,630
PMD0401016	PCGLP 1x4 40 57 I	40 W	5700 K	9405	5 N	5,250



MODERNIA



SURFACE MOUNTING BRACKET

New designed surface mounting bracket with powder coated CRCA housing. Suitable for 2X2 / 1X4 LED slim/backlit panel.

PRODUCT COD	E CATALOGUE REFERENCE DESCRIPTION	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PAC0801003	SURFACE MOUNTING BRACKET FOR PCGLP 2X2	NA	NA	9405	4N	400
PAC0801011	SURFACE MOUNTING BRACKET FOR PCGLP 1X4	NA	NA	9405	4N	575
PAC0801012	SURFACE MOUNTING BRACKET FOR PCGBLP 0140E	NA	NA	9405	4N	500



LED COMMERCIAL LUMINAIRE

LED Commercial 2X2 having white powder coated CRCA body with opal PMMA wide diffuser at centre. Separate driver. Suitable for Armstrong and Grid ceiling. Available CCT 6500K.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0405003	PCGLMD 36	36 W	6500 K	9405	2	4,500



LED COMMERCIAL LUMINAIRE

LED Commercial 2X2 having white powder coated CRCA body with soft opal PMMA diffuser at centre. Separate driver. Suitable for Armstrong and Grid ceiling. Available CCT 6500K.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PMD0405004	PCGLMW 36	36 W	6500 K	9405	2	4,500



LED SURFACE / SUSPENDED FIXTURE

Extruded Aluminium body LED Linear Surface / Suspended fixture with opal Polycarbonate diffuser. Separate dimmable driver. Suitable for commercial applications. Available CCT 6000K.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PMD0403004	PCGLSE 38 60	38 W	6000 K	9405	6	9,375







LED COMMERCIAL DOWN LIGHT - ROUND

Recess mounting Backlit LED Down light, Round PDC Aluminium body with outer frame. Separate driver. Available CCT 6000 K & 4000K. Also available in 3000K on demand.


PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PMD0402010	PCGLRD 01 15 60	15 W	6000 K	9405	12	1,600
PMD0402011	PCGLRD 01 15 40	15 W	4000 K	9405	12	1,600



LED COMMERCIAL DOWN LIGHT - SQUARE

Recess mounting Backlit LED Down light, Square PDC Aluminium body with ABS outer frame. Separate driver. Available CCT 5700 K.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PMD0402001	PCGLD 01 18 SQ 57	18 W	5700 K	9405	20	2,075
PMD0402002	PCGLD 01 24 SQ 57	24 W	5700 K	9405	20	2,425







DOMESTICO

INTENSO LXS LED BATTEN - PVC PROFILE

Self ballasted LED Batten. Extruded Thermoplastic body with PC diffuser in unique square shape. > 120° wide distribution. Available CCT 3000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
LD00103025	INTENSO LXS LED BATTEN 1 FEET 8 W	8 W	6500 K	9405	20	350
LD00103028	INTENSO LXS LED BATTEN 2 FEET 12 W	12 W	6500 K	9405	20	500
LD00103031	INTENSO LXS LED BATTEN 4 FEET 20 W	20 W	6500 K	9405	20	650

ORDY

() water of

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
LD00103017	INTENSO VX LED BATTEN 4 FEET 20 W	20 W	6500 K	9405	20	650

INTENSO GX LED BATTEN - PVC PROFILE

INTENSO VX LED BATTEN - PVC PROFILE

Self ballasted LED Batten. Extruded Thermoplastic body with PC diffuser.

>120° wide Distribution. Available CCT 6500K / 3000 K

Self ballasted LED Batten. Extruded Thermoplastic body with PC diffuser. $> 120^{\circ}$ wide distribution. Available CCT 3000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
LD00103040	INTENSO GX LED BATTEN 1 FEET 8 W	8 W	6500 K	9405	20	350
LD00103042	INTENSO GX LED BATTEN 2 FEET 12 W	12 W	6500 K	9405	20	500
LD00103044	INTENSO GX LED BATTEN 4 FEET 20 W	20 W	6500 K	9405	20	650



INTENSO DLX LED BATTEN - ALUMINIUM PROFILE

Self ballasted LED Batten. Extruded Aluminium body with PC diffuser. Integral isolated driver. $>\!120^{o}$ wide light distribution. Available CCT 3000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
LD00103101	INTENSO DLX LED BATTEN 1 FEET 8 W	8 W	6500 K	9405	20	495
LD00103102	INTENSO DLX LED BATTEN 2 FEET 12 W	12 W	6500 K	9405	20	695
LD00103103	INTENSO DLX LED BATTEN 4 FEET 20 W	20 W	6500 K	9405	20	895



DOMESTICO



SCINTILLATE LED ROUND SLIM PANEL

Recess mounting Edgelit Slim LED Panel Round powder coated PDC Aluminium body and high quality LGP & PMMA diffuser. Separate driver. Available CCT 3000K, 4000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
LD00116001	SCINTILLATE LED PANEL SLIM ROUND 3 W	3 W	6500 K	9405	10	450
LD00116002	SCINTILLATE LED PANEL SLIM ROUND 6 W	6 W	6500 K	9405	10	650
LD00116004	SCINTILLATE LED PANEL SLIM ROUND 12 W	12 W	6500 K	9405	10	950
LD00116005	SCINTILLATE LED PANEL SLIM ROUND 15 W	15 W	6500 K	9405	10	1,150
LD00116006	SCINTILLATE LED PANEL SLIM ROUND 18 W	18 W	6500 K	9405	10	1,450
LD00116007	SCINTILLATE LED PANEL SLIM ROUND 22 W	22 W	6500 K	9405	10	1,750



SCINTILLATE LED SQUARE SLIM PANEL

Recess mounting Edgelit Slim Panel, Square powder coated PDC Aluminium body and high quality LGP & PMMA diffuser. Separate driver. Available CCT 3000K, 4000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
LD00117001	SCINTILLATE LED PANEL SLIM SQUARE 3 W	3 W	6500 K	9405	10	450
LD00117002	SCINTILLATE LED PANEL SLIM SQUARE 6 W	6 W	6500 K	9405	10	650
LD00117004	SCINTILLATE LED PANEL SLIM SQUARE 12 W	12 W	6500 K	9405	10	950
LD00117005	SCINTILLATE LED PANEL SLIM SQUARE 15 W	15 W	6500 K	9405	10	1,150
LD00117006	SCINTILLATE LED PANEL SLIM SQUARE 18 W	18 W	6500 K	9405	10	1,450
LD00117007	SCINTILLATE LED PANEL SLIM SQUARE 22 W	22 W	6500 K	9405	10	1,750



SCINTILLATE EDGE LED DOWN LIGHT SLIM ROUND

Recess mounting Edgelit Slim and LED Down Light, Round powder coated PDC Aluminium body with decorative glass plate. Separate driver. Available CCT 6000K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)	
LD00108001	SCINTILLATE EDGE LED DOWN LIGHT SLIM ROUND 12 W	12 W	6000 K	9405	10	1,595	

SCINTILLATE EDGE LED DOWN LIGHT SLIM SQUARE

Recess mounting Edgelit Slim and LED Down Light, Square powder coated PDC Aluminium body with decorative glass plate. Separate driver. Available CCT 6000K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	ССТ	HSN Code	CASE LOT	MRP (₹)
LD00109001	SCINTILLATE EDGE LED DOWN LIGHT SLIM SQUARE 12 W	12 W	6000 K	9405	10	1,595









SCINTILLATE DLX SLIM LED DOWN LIGHT - ROUND

Recess mounting Backlit Slim LED Down Light with Round Aluminium alloy body and Polycarbonate outer rim. Separate driver. Available CCT 6500K, 4000K, & 3000K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
LD00102001	SCINTILLATE DLX LED DOWN LIGHT SLIM ROUND 14 W	14 W	6500 K	9405	10	1,595
LD00102002	SCINTILLATE DLX LED DOWN LIGHT SLIM ROUND 21 W	21 W	6500 K	9405	10	2,195



SCINTILLATE INTERGAL - DOWN LIGHT

Recess mounting LED Down Light, Plastic body with intergral driver. Available CCT 3000 K, 4000K, 6500 K & Blue

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	ССТ	HSN Code	CASE Lot	MRP (₹)
LD00115001	SCINTILLATE INTEGRAL LED DOWN LIGHT 3 W	3 W	6500 K	9405	20	345
LD00115002	SCINTILLATE INTEGRAL LED DOWN LIGHT 5 W	5 W	6500 K	9405	20	395
LD00115005	SCINTILLATE INTEGRAL LED DOWN LIGHT BLUE 5 W	5 W	BLUE	9405	20	395
LD00115008	SCINTILLATE INTEGRAL LED DOWN LIGHT 7 W	7 W	6500 K	9405	20	455



PEARL LED SPOT LIGHT - ROUND

Recess mounting LED spot light in plain aluminium in housing and Round Polycarbonate outer rim.

PRODUCT CODE	PRODUCT Description	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
LD00114001 LD00114002 LD00114003 LD00114004 LD00114005	PEARL LED SPOT 2 W 3000 K RD PEARL LED SPOT 2 W 6500 K RD PEARL LED SPOT 2 W BLUE RD PEARL LED SPOT 2 W RED RD PEARL LED SPOT 2 W GREEN RD	2 W 2 W 2 W 2 W 2 W 2 W	3000 K 6500 K BLUE RED GREEN	9405 9405 9405 9405 9405	50 50 50 50 50	225 225 225 225 225 225



PEARL LED SPOT LIGHT - SQUARE

Recess mounting LED spot light in plain Aluminium in housing and square polycarbonate outer rim

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
LD00114006 LD00114007 LD00114008 LD00114009 LD00114010	PEARL LED SPOT 2 W 3000 K SQ PEARL LED SPOT 2 W 6500 K SQ PEARL LED SPOT 2 W BLUE SQ PEARL LED SPOT 2 W RED SQ PEARL LED SPOT 2 W GREEN SQ	2 W 2 W 2 W 2 W 2 W 2 W	3000 K 6500 K BLUE RED GREEN	9405 9405 9405 9405 9405 9405	50 50 50 50 50	250 250 250 250 250



DOMESTICO

PEARL LED SPOT LIGHT - 3W - ROUND

Recess mounting LED spot light in plain aluminium in plain housing and Round aluminium outer rim.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	ССТ	HSN Code	CASE LOT	MRP (₹)
LD00115001	PEARL LED SPOT 3 W 3000 K RD	3 W	3000 K	9405	50	350
LD00115002	PEARL LED SPOT 3 W 6500 K RD	3 W	6500 K	9405	50	350
LD00115003	PEARL LED SPOT 3 W BLUE RD	3 W	BLUE	9405	50	350
LD00115004	PEARL LED SPOT 3 W RED RD	3 W	RED	9405	50	350
LD00115005	PEARL LED SPOT 3 W GREEN RD	3 W	GREEN	9405	50	350



PEARL COB LED DOWN LIGHT - ROUND

Recess mounting COB LED adjustable Down Light with Round PDC aluminium body and 24° Glass Lens. Separate driver. Available CCT 3000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
LD00104001	PEARL COB LED DOWN LIGHT 4 W	4 W	6500 K	9405	10	845
LD00104002	PEARL COB LED DOWN LIGHT 4 W	4 W	3000 K	9405	10	845
LD00104003	PEARL COB LED DOWN LIGHT 6 W	6 W	6500 K	9405	10	995
LD00104004	PEARL COB LED DOWN LIGHT 6 W	6 W	3000 K	9405	10	995
LD00104005	PEARL COB LED DOWN LIGHT 9 W	9 W	6500 K	9405	10	1,345
LD00104006	PEARL COB LED DOWN LIGHT 9 W	9 W	3000 K	9405	10	1,345
LD00104007	PEARL COB LED DOWN LIGHT 11 W	11 W	6500 K	9405	10	1,645
LD00104008	PEARL COB LED DOWN LIGHT 11 W	11 W	3000 K	9405	10	1,645



PEARL GRID COB LED DOWN LIGHT - SQUARE

Recess mounting COB LED adjustable Down Light with Square PDC aluminium body and 24° Glass Lens. Separate driver. Available CCT 3000K & 6500K.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
LD00105001	PEARL GRID COB LED DOWN LIGHT 4 W	4 W	6500 K	9405	10	1,495
LD00105002	PEARL GRID COB LED DOWN LIGHT 4 W	4 W	3000 K	9405	10	1,495
LD00105003	PEARL GRID COB LED DOWN LIGHT 6 W	6 W	6500 K	9405	10	1,645
LD00105004	PEARL GRID COB LED DOWN LIGHT 6 W	6 W	3000 K	9405	10	1,645



CELENE LED SURFACE LIGHTING

Aesthetically designed energy saving LED Wall Light. White powder coated CRCA housing and PS diffuser. Available CCT 3000K/6500 K

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
LD00112013 LD00112016 LD00112019 LD00112022	CELENE LED SURFACE FITTING ROUND 10 W CELENE LED SURFACE FITTING ROUND 14 W CELENE LED SURFACE FITTING ROUND 18 W CELENE LED SURFACE FITTING ROUND 22 W	10 W 14 W 18 W 22 W	6500 K 6500 K 6500 K 6500 K	9405 9405	10 10 10 10	1,650 2,250 2,850 3,350





LED STRIP LIGHT - ORIANA

Flexible LED Strip, 4.8 W & 14.4 W / meter, suitable for Cove lighting and indirect lighting. Available in 3000 K & 6000 K. Driver available separately.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
LD00113101	ORIANA 3528 LED STRIP 24 W	24 W	3000 K	9405	40	1,050
LD00113102	ORIANA 3528 LED STRIP 24 W	24 W	6000 K	9405	40	1,050
LD00113103	ORIANA 5050 LED STRIP 72 W	72 W	3000 K	9405	40	2,250
LD00113104	ORIANA 5050 LED STRIP 72 W	72 W	6000 K	9405	40	2,250



OPOLYCAB

Connection Zindagi Ka

ONELLA T5 LUMINAIRE

Decorative domestic batten pre-wired with T5 Lamp & HF Electronic Ballast. Extruded PVC body with newly designed end caps. Available in PC Ribbed Diffuser and without diffuser.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
LD00204003 LD00204004	ONELLA T5 LUMINAIRE 28 W (6500 K TUBE FREE) ONELLA T5 LUMINAIRE WITH DIFFUSER 28 W (6500 K TUBE FREE)	28 W 28 W	LFL T5 LFL T5		20 20	575 675



OTTIMO ELECTRONIC LFL BATTEN

Sleek domestic batten suitable for T8 Lamps. Pre-wired with HF Electronic Ballast. Sturdy Pre-coated CRCA fabricated body for long life.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
LD00201003	OTTIMO SLIM ELECTRONIC LFL BATTEN 36 W	36 W	LFL T8	9405	16	380









LED HIGH BAY

New generation Energy saving LED High Bay solution with copper heatsink. ABS body and Polycarbonate visor. Low weight for ease of installation. 90° wide Distribution. Mounting with hook. Available CCT 5700K. Driver compartment IP66.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PID1001001	PCGLH 100	100 W	5700 K	9405	1	21,500
PID1001007	PCGLH 130	130 W	5700 K	9405	1	24,500



LED HIGH BAY - ALUMINIUM

Industrial LED High Bay Luminaires with clear PC diffuser powder coated PDC Aluminium body. IP65. Available CCT 5700 K. Mounting with eye bolt. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PID1001016	PCGLH T1 60	60 W	5700 K	9405	2	13,500
PID1001017	PCGLH T1 80	80 W	5700 K	9405	2	15,000
PID1001018	PCGLH T1 100	100 W	5700 K	9405	1	16,500
PID1001019	PCGLH T1 120	120 W	5700 K	9405	1	18,000
PID1001020	PCGLH T1 150	150 W	5700 K	9405	1	21,000
PID1001021	PCGLH T1 200	200 W	5700 K	9405	1	24,000



LED WELL GLASS LX

Powder coated PDC Aluminium body with clear diffuser. Available CCT 5700K. IP65. Mounting with Eye bolt. Available with opal diffuser. Also available in 3000K & 4000K on demand.

PRODUCT CODE	PRODUCT Description	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
PID1003003	PCGLWG LX 40	40 W	5700 K	9405	4	4,375

LED FLAME PROOF WELLGLASS

New generation Energy saving LED flame proof integral wellglass with Aluminium body. COB LED technology. IP66. Available CCT 6500 / 3000K.

PRODUCT CODE	CATALOGUE REFERENCE/ Description	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PID1003004	Polycab Victory LED Flame proof wellglass 35W 1238 COB	35 W	6500 K	9405	1	8,125





LED BULK HEAD

Surface Mounted LED Bulk Head Luminaire with ABS Body & Polycarbonate Diffuser. Available in CCT 6000K. IP54. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PID0102001	PCGLBH DLX 10	10 W	6000 K	9405	8	2,250



LED WEATHER PROOF LUMINAIRE

Surface mounting LED Luminaire with Corrosion Resistant Polycarbonate body and cover. Toggle less. Efficacy 90Lm/W. Available in CCT 6500K. IP65. Also available in 3000K & 4000K on demand.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	CCT	HSN CODE	CASE Lot	MRP (₹)
PID0802002	PCGLPC 01 18 65	18 W	6500 K	9405	12	3,175
PID0802003	PCGLPC 01 36 65	36 W	6500 K	9405	8	5,675



INDUSTRIAL T8 / T12 BATTEN LUMINAIRE

 $\label{eq:pre-Coated CRCA body, heavy duty industrial batten suitable for 4 feet T8/T12 Lamps. Available in seperate, Aluminium and Pre-Coated CRCA reflector.$

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
PID0501001	PCIB 136/140 T HFC	1 X 36/40 W	LFL T8/T12	9405	10	675
PID0501003	PCIB 236/240 T HFC 2	2 X 36/40 W	LFL T8/T12	9405	10	925



INDUSTRIAL T5 BATTEN LUMINAIRE

Pre-Coated CRCA body, heavy duty industrial batten suitable for 28W T5 Lamps. Available in seperate, Aluminium / Pre-Coated CRCA reflector.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PID0501008	PCIB 128 T HFC	1 X 28 W	LFL T5	9405	10	700
PID0501009	PCIB 228 T HFC	2 X 28 W	LFL T5	9405	10	925
PID0501010	PCIB 128 T HFC RoHS	1 X 28 W	LFL T5	9405	10	On Request
PID0501011	PCIB 228 T HFC 2 RoHS	2 X 28 W	LFL T5	9405	10	On Request



Note: LED CCT Tolerance as per ANSI Standards.

13





INDUSTRIAL BATTEN LUMINAIRE FOR RETROFIT LED TUBE

 $\label{eq:control} \mbox{Pre-Coated CRCA body, heavy duty industrial batten. Suitable for Retrofit LED Tube. Available in separate, Aluminium / \mbox{Pre-Coated CRCA reflector.}$



PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN Code	CASE LOT	MRP (₹)
PID0502001	PCIB 118 WOD	1 X 18 W	LED T8	9405	10	450
PID0502002	PCIB 218 WOD	2 X 18 W	LED T8	9405	10	475







LED NEW ENERGY EFFICIENT FLOOD LIGHT

New Generation Energy Saving LED flood light. Powder coated PDC Aluminium body with toughened glass visor. Efficacy >100Lm/w. Available 5700 K. IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PAR0206001	PCGLF T1 02 10 57	10 W	5700 K	9405	8	2,250
PAR0206002	PCGLF T1 02 20 57	20 W	5700 K	9405	8	3,100
PAR0206003	PCGLF T1 02 30 57	30 W	5700 K	9405	8	4,000
PAR0206004	PCGLF T1 02 40 57	40 W	5700 K	9405	8	5,000
PAR0206005	PCGLF T1 02 50 57	50 W	5700 K	9405	8	6,300
PAR0206006	PCGLF T1 02 60 57	60 W	5700 K	9405	8	6,400
PAR0206008	PCGLF T1 02 80 57	80 W	5700 K	9405	1	8,000
PAR0206010	PCGLF T1 02 100 57	100 W	5700 K	9405	1	9,200
PAR0206012	PCGLF T1 01 120 57	120 W	5700 K	9405	1	12,500
PAR0206015	PCGLF T1 01 150 57	150 W	5700 K	9405	1	15,500
PAR0206035	PCGLF T1 01 160 57	160 W	5700 K	9405	1	16,500
PAR0206016	PCGLF T1 01 180 57	180 W	5700 K	9405	1	17,500
PAR0206017	PCGLF T1 01 200 57	200 W	5700 K	9405	1	20,500
PAR0206018	PCGLF T1 01 250 57	250 W	5700 K	9405	1	22,500

LED NEW GENERATION FLOOD LIGHT

New Generation Energy Saving LED Flood Light, Powder coated PDC Aluminium Body with Toughened Glass visor fitted in frame. Equipped with Secondary optical lens for superior light distribution. Efficacy > 100 Lm/W. Available CCT 4000K/3000K. IP66. Also available in 6000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PAR0201034	PCGLF 160 BFLZ	160 W	5700 K	9405	1	20,800
PAR0201031	PCGLF 160 40 BFLZ	160 W	4000 K	9405	1	20,800
PAR0201032	PCGLF 160 30 BFLZ	160 W	3000 K	9405	1	20,800

LED FLOOD LIGHT

New Generation Energy Saving LED flood light, Single piece pressure die cast powder coated housing & lamp frame with Toughened glass cover, equipped with Secondary optical lens for superior light distribution. Efficacy > 100Lm/W. Available in CCT 5700K. IP66.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
PAR0201023	PCGLF C2 01 180	180 W	5700 K	9405	1	21,000
PAR0201024	PCGLF C2 01 200	200 W	5700 K	9405	1	22,500
PAR0201025	PCGLF C2 01 250	250 W	5700 K	9405	1	29,000
PAR0201026	PCGLF C2 01 300	300 W	5700 K	9405	1	35,000
PAR0201027	PCGLF C2 01 350	350 W	5700 K	9405	1	45,000
PAR0201028	PCGLF C2 01 400	450 W	5700 K	9405	1	55,000

LED FLOOD LIGHT

New Generation Energy Saving LED Flood Light, Powder coated PDC Aluminium body with toughened glass visor fitted in frame. Efficacy > 100Lm/w. Available CCT 5700K. IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PAR0201029	PCGLF C1 02 30	30 W	5700 K	9405	6	6,000
PAR0201030	PCGLF C1 02 40	40 W	5700 K	9405	6	6,500
PAR0201018	PCGLF C1 02 60	60 W	5700 K	9405	4	9,800
PAR0201019	PCGLF C1 02 80	80 W	5700 K	9405	4	11,000
PAR0201020	PCGLF C1 01 80	80 W	5700 K	9405	4	12,000









New Generation Energy Saving LED Flood Light, Powder coated PDC Aluminium Body with Toughened Glass visor fitted in frame. Equipped with Secondary optical lens for superior light distribution. Efficacy > 100 Lm/W. Available CCT 6000K. IP66.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PAR0201021	PCGLF C1 01 120	120 W	5700 K	9405	1	18,000
PAR0201022	PCGLF C1 01 160	160 W	5700 K	9405	1	24,000



COB FLOOD LIGHT

Slim and light weight Energy Saving LED Flood Light, single piece PDC Aluminium body with Glass Lens visor. COB LED technology. Available CCT 6000K. IP65.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE LOT	MRP (₹)
PAR0202002	PCGLF 01 30 COB	30 W	6000 K	9405	5	5,075
PAR0202003	PCGLF 01 60 COB	60 W	6000 K	9405	5	9,225



LED FOCUS LIGHT

Innovative Narrow beam LED Focus / Flood Light, grey powder coated PDC Aluminium body with toughened glass visor. Secondary optical lens for superior light distribution. Available CCT 3000K. IP66.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PAR0203001	PCGLFS 18	18 W	3000 K	9405	2	10,750



HALOGEN FLOOD LIGHT

Halogen Flood Light with powder coated PDC Aluminium body and toughened glass cover. IP54.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN Code	CASE LOT	MRP (₹)
PAR0103001	PCNFH 500	500 W	Halogen	9405	12	600
PAR0103002	PCNFH 1000	1000 W	Halogen	9405	12	1,100



Note: LED CCT Tolerance as per ANSI Standards.

17







ENERGY EFFICIENT LED STREET LIGHT WITH LENS

Energy saving LED Street Light with PDC Aluminium body and clear glass. LED lens for wide beam distribution. Efficacy > 100 Lm/W. Available CCT 5700K. IP66. Also available in 3000K & 4000K on demand. Available without lens.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	ССТ	HSN CODE	CASE LOT	MRP (₹)
PUB0505005	PCGLS T1 15 L	15 W	5700 K	9405	12	2,250
PUB0505006	PCGLS T1 20 L	20 W	5700 K	9405	12	2,450
PUB0505007	PCGLS T1 25 L	25 W	5700 K	9405	12	2,650
PUB0505008	PCGLS T1 30 L	30 W	5700 K	9405	12	2,850



I ENERGY EFFICIENT LED STREET LIGHT

Energy saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy > 100 Lm/w. Available CCT 5700 K. IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE Reference	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PUB0505009	PCGLS T1 35	35 W	5700 K	9405	2	4,000
PUB0505010 PUB0505011	PCGLS T1 40 PCGLS T1 45	40 W 45 W	5700 K 5700 K	9405 9405	2 2	4,800 5.500



ENERGY EFFICIENT LED STREET LIGHT

Energy saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy > 100 Lm/W. Available CCT 5700 K. IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PUB0505013	PCGLS T1 60	60 W	5700 K	9405	1	7,500
PUB0505014	PCGLS T1 72	72 W	5700 K	9405	1	8,200
PUB0505025	PCGLS T1 80	80 W	5700 K	9405	1	9,000

ENERGY EFFICIENT LED STREET LIGHT

Energy saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy > 100 Lm/W. Available CCT 5700 K. IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE Lot	MRP (₹)
PUB0505015	PCGLS T1 90	90 W	5700 K	9405	1	9,400
PUB0505016	PCGLS T1 120	120 W	5700 K	9405	1	14,800
PUB0505017	PCGLS T1 150	150 W	5700 K	9405	1	18,000
PUB0505018	PCGLS T1 180	180 W	5700 K	9405	1	21,500
PUB0505020	PCGLS T1 240	240 W	5700 K	9405	1	27,500





ECO LED STREET LIGHT

Energy saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy > 100 Lm/w. Available CCT 5700 K. IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PUB0501125	PCGLS C2 35	35 W	5700 K	9405	6	3,800
PUB0501126	PCGLS C2 40	40 W	5700 K	9405	6	4,500
PUB0501127	PCGLS C2 45	45 W	5700 K	9405	6	5,200
PUB0501128	PCGLS C2 60	60 W	5700 K	9405	4	7,100
PUB0501129	PCGLS C2 72	72 W	5700 K	9405	4	7,800
PUB0501130	PCGLS C2 90	90 W	5700 K	9405	4	8,900
PUB0501131	PCGLS C2 120	120 W	5700 K	9405	1	13,900
PUB0501132	PCGLS C2 150	150 W	5700 K	9405	1	16,900
PUB0501036	PCGLS C2 180	180 W	5700 K	9405	1	20,400
PUB0501037	PCGLS C2 200	200 W	5700 K	9405	1	22,100



ECO LED STREET LIGHT

Energy saving LED Street Light with PDC Aluminium body and toughened glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy > 100 Lm/w. Available CCT 5700 K. IP66. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE Lot	MRP (₹)
PUB0501038	PCGLS C2 220	220	5700 K	9405	1	On Request
PUB0501039	PCGLS C2 250	250	5700 K	9405	1	On Request



LED DECORATIVE STREET LIGHT

Decorative Energy Saving LED Street Light with PDC Aluminium Body and Clear Polycarbonate cover. Wide beam distribution. Available CCT 5700K. IP66. Efficacy > 95Lm/w

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PUB0502001	PCGLS 01 15	15 W	5700 K	9405	8	2,400
PUB0502002	PCGLS 01 20	20 W	5700 K	9405	8	2,600
PUB0502003	PCGLS 01 25	25 W	5700 K	9405	8	2,800
PUB0502004	PCGLS 01 30	30 W	5700 K	9405	8	3,000



LED STREET LIGHT WITH LENS

Energy Saving LED Street Light with PDC Aluminium body and clear glass LED Lens for wide beam distribution. CCT 5700 K. IP66. Efficacy > 100 Lm/w

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PUB0501045	PCGLS 25 L	25 W	5700 K	9405	12	2,650
PUB0501040	PCGLS 30 L	30 W	5700 K	9405	12	2,850



Note: LED CCT Tolerance as per ANSI Standards.

21



Witten a

ſ

KONT





GARDENIA

LED POST TOP FITTING

Powder coated aluminum die cast and spun aluminum with clear / opal diffuser. Suitable for Landscape Lighting. Available in 5700K CCT. IP65. Also available in 3000K & 4000K on demand.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE Lot	MRP (₹)
PGR0201007	PCGLPT 01 25 0	25 W	5700 K	9405	1	7,500
PGR0201008 PGR0201009	PCGLPT 01 25 C PCGLPT 01 40 0	25 W 40 W	5700 K 5700 K	9405 9405	1	7,200 8.500
PGR0201009 PGR0201010	PCGLPT 01 40 0	40 W 40 W	5700 K 5700 K	9405 9405	1	8,300
PGR0201011	PCGLPT 01 60 0	60 W	5700 K	9405	1	12,500
PGR0201012	PCGLPT 01 60 C	60 W	5700 K	9405	1	12,500



LED BOLLARD

Powder coated PDC Aluminium body with opal diffuser. Suitable for landscape lighting. Available CCT 3000K. IP54.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PGR0201002	PCGLB 02 06	6 W	3000 K	9405	2	6,425



LED BOLLARD

Powder coated PDC Aluminium body with opal diffuser. Suitable for landscape lighting. Available CCT 3000K. IP54.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PGR0201003	PCGLB 03 06	6 W	3000 K	9405	2	5,950

LED BOLLARD

Powder coated PDC Aluminium body with opal diffuser. Suitable for landscape lighting. Available CCT 3000K. IP54.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN Code	CASE LOT	MRP (₹)
PGR0201004	PCGLB 04 06	6 W	3000 K	9405	2	5,950

Note: LED CCT Tolerance as per ANSI Standards.







POLYCAB Lighting & Luminaires

GARDENIA



LED WALL LIGHT

Powder coated PDC Aluminium body with opal diffuser. Suitable for wall lighting. Available CCT 3000K. IP54.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	CCT	HSN CODE	CASE Lot	MRP (₹)
PGR0202001	PCGLW 04 06	6 W	3000 K	9405	2	4,250





Ð

H

H

H

VER

ALL THE

E III II

1

5





LAMPS

AELIUS LX / LXD / LB BULBS

Self ballasted LED Retrofit Bulbs with PBT body shell and PC diffuser. 240° wide distribution. Available CCT 3000 K & 6500 K

PRODUCT CODE	CT CODE PRODUCT DESCRIPTION		HSN CODE	CASE LOT	MRP (₹)
LLP0101021	AELIUS LX LED LAMP 3 W BC 6500 K	3 W	8539	50	195
LLP0101025	AELIUS LX LED LAMP 5 W BC 6500 K	5 W	8539	50	245
LLP0101029	AELIUS LX LED LAMP 7 W BC 6500 K	7 W	8539	50	295
LLP0101051	AELIUS LXD LED LAMP 9 W BC 6500 K	9 W	8539	25	375
LLP0101055	AELIUS LXD LED LAMP 12 W BC 6500 K	12 W	8539	25	500
LLP0101221	AELIUS LB LED LAMP 15 W BC 6500 K	15 W	8539	25	600
LLP0101225	AELIUS LB LED LAMP 17 W BC 6500 K	17 W	8539	25	750
LLP0101229	AELIUS LB LED LAMP 23 W BC 6500 K	23 W	8539	25	900



AELIUS LED DECO LAMP

Self ballasted decorative LED Lamps with unbreakable PC body. Available in 7 colour options.

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	HSN Code	CASE Lot	MRP (₹)
LLP0102001	AELIUS LED DECO LAMP 0.5 W WHITE	0.5 W	9405	48	75
LLP0102002	AELIUS LED DECO LAMP 0.5 W RED	0.5 W	9405	48	75
LLP0102003	AELIUS LED DECO LAMP 0.5 W YELLOW	0.5 W	9405	48	75
LLP0102004	AELIUS LED DECO LAMP 0.5 W BLUE	0.5 W	9405	48	75
LLP0102005	AELIUS LED DECO LAMP 0.5 W GREEN	0.5 W	9405	48	75
LLP0102006	AELIUS LED DECO LAMP 0.5 PINK	0.5 W	9405	48	75
LLP0102007	AELIUS LED DECO LAMP 0.5 ORANGE	0.5 W	9405	48	75



AELIUS LED TUBE

Self ballasted LED Retrofit Tube Lamps with Thermoplastic body. 270° wide distribution. Available CCT 4000 K & 6500 K

PRODUCT CODE	PRODUCT DESCRIPTION	WATTAGE	HSN Code	CASE Lot	MRP (₹)
LTU0101004 LTU0101007	AELIUS LED TUBE 18 W 6500 K HPF (*) AELIUS LED TUBE HIGH LUMEN 18 W 6500 K HPF	18 W 18 W	9405 9405	20 20	750 850



Note: Item marked (*) ti II stock lasts.

ACCESSORIES

DESTELLO ELECTRONIC CONTROL GEAR

Full Plastic Body high PF (>0.9) HF Electronic Ballast for Single T8/T12 Lamp. Suitable for domestic applications.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN Code	CASE LOT	MRP (₹)
LAC0101001	DESTELLO LFL ECG 36/40 W	36 / 40 W	LFL T8/T12	8504	50	200
LAC0101006	DESTELLO NEO LFL ECG 36/40 W	36 / 40 W	LFL T8/T12	8504	50	200



LED STRIP LIGHT - DRIVER

LED Strip Light driver. Suitable for Polycab ORIANA 24 W & 72 W

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP Type	HSN CODE	CASE LOT	MRP (₹)
LAC 0202006	Polycab LED Strip driver 12 V , 2.5 A	24 W	LED Strip	9405	20	650
LAC 0202007	Polycab LED Strip driver 12 V , 6 A	72 W	LED Strip	9405	20	1,300



DESTELLO COMMERCIAL ELECTRONIC CONTROL GEAR

Commercial HF Electronic ballast with high PF > 0.90. Suitable for commercial applications.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN Code	CASE Lot	MRP (₹)
PAC0301002	PCBE 118/120 F HFC	18 / 20 W	LFL T8/T12	8504	24	275
PAC0301003	PCBE 136/140 F HFC	36 / 40 W	LFL T8/T12	8504	24	225
PAC0301004	PCBE 236/240 F HFC	2 X 36 / 40 W	LFL T8/T12	8504	24	425
PAC0301005	PCBE 128 T HFC	28 W	LFL T5	8504	24	275
PAC0301006	PCBE 228 T HFC	2 X 28 W	LFL T5	8504	24	425
PAC0301007	PCBE 224 T HFC	2 X 24 W	LFL T5	8504	24	425



DESTELLO HIGH PERFORMANCE ECG

High Performance HF Electronic ballast with high $\rm PF > 0.90$. Suitable for Heavy Duty applications.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN Code	CASE LOT	MRP (₹)
PAC0302001	PCBE 414 T HFP	4 X 14 W	LFL T5	8504	24	800





DESTELLO PL ECG

Full Plastic Body high PF > 0.90 HF Electronic Ballast for PL Lamp. Suitable for domestic applications.

PRODUCT CODE	CATALOGUE REFERENCE	WATTAGE	LAMP TYPE	HSN CODE	CASE LOT	MRP (₹)
LAC0101004	DESTELLO PL ECG 9-13 W	9 - 13 W	PL	8504	50	150

Notes	



Regional & Branch Offices:

NORTH REGIONAL OFFICE :

CHANDIGARH : SCO-10-11-12, SEC 17 B, Chandigarh - 160017. • LUCKNOW : Shalimar Square, Office No - 09, 126/31, B. N. Road, Lalbagh, Hazratganj, Lucknow - 226001. • NOIDA : B9, 1st Floor Sector - 3, Near Bajaj Bhawan, Noida - 201301. • DEHRADUN : 109, Tagore Villa, Near P. N. B., Dehradun - 248001. • JAIPUR : B-44 & B-45, Industrial Area, Sudarshanpura Extn., Bais Godam, Jaipur - 302019.

EAST REGIONAL OFFICE :

GUWAHATI : 3rd Floor, Purbi Complex, Near Panbazar Flyover, A. T. Road, Guwahati - 781001. • KOLKATA : 18, Rabindra Sarani, Poddar Court, Gate No. 3, 5th Floor, Kolkata - 700001. • ORISSA : A/2, RCC Building, Ground Floor, Saheed Nagar, Bhubaneswar, Orissa - 751007. • PATNA : D-302, Dumraon Palace, 3rd Floor, Fraser Road, Near Dakbangla Crossing, Patna - 800001. • RANCHI : Polycab Wires Pvt Ltd Gr. Floor,Panchwati Tower, Harmu Bypass,Near Ratu Road Chowk Behind Vishal Management Ranchi: 834002(Jharkhand)

WEST REGIONAL OFFICE :

AHMEDABAD : 102-1st Floor, Hrishikesh, Opp. Gulbai Tekra Water Tank, Nr. IDBI Bank Cross Road, Ahmedabad - 380006. • INDORE : B-12, New Siyaganj, Patthar Godam Road, Indore - 452003. • PUNE : Off No. 36, Sangam Project Phase 2, Near RTO Pune, Near Sangam Bridge, Pune - 411001. • RAIPUR : 506, 5th Floor, Wallfort Ozone, Near Fafadih Chowk, Raipur (C.G.) 492001.

SOUTH REGIONAL OFFICE :

BENGALURU : B-78, No.18, 4th Main Road, KSSIDC Industrial Estate, 6th Block, Rajajinagar, Bangalore - 560010. • CHENNAI : Polycab wires pvt.ltd Rain Tree Place
New.no.7, Old No.9 2b,second Floor Mc Nichols Road, chetpet Chennai - 600031 • KOCHI : 34/138 C, NH By-Pass Road, Edappally, Kochi - 682024.
• SECUNDERABAD : 208-209, 2th Floor Bhuvana Towers S. D. Road, Secunderabad - 500 003. • VIJAYAWADA : Ground Floor, House No. 40-5/7-6, Municipal Employees
Colony, Vijayawada - 520010 (AP). • COIMBATORE : No: 45, K. K. Lane,No. 3, Near Avinashi Road Flyover, Coimbatore - 641 018.



Terms and Conditions :

- Prices are in Indian ₹ (Inclusive of GST)
- · All prices are subject to polycab general terms & conditions of business.
- Warranty voids for LED fixtures including drivers, if individual points of installations are not provided with proper earthing.
- . Goods are despatched by us on Purchaser's risk. All claims for loss, damage or shortage will be filed by the Purchasers directly with the carriers.
- · Orders should be placed in case lot multiples & against the confirmed purchase order only.
- This Price List supersedes all our previous Price Lists.
- Prices are subject to change without notice.
- · Company reserves the right to issue amendments, which may arise due to any errors in the price list.
- Disputes, if any are subject to Mumbai jurisdiction only.
- Continuous design improvement is a routine practice at polycab Data provided may change without any prior intimation. Customers are advised to reconfirm the data or product dimensions before purchase with our local offices.





Corporate Office: **POLYCAB WIRES PVT. LTD.** (formerly known as "Polycab Wires Limited") Polycab House, 771, Mogul Lane, Mahim (W), Mumbai - 400 016, Maharashtra (India) Ph.: +91-22-2432 7070/4, 6735 1400, Fax: +91-22-24327075, Email: enquiry@polycab.com • www.polycab.com

14





www.linkedin.com /company/PolycabIndia

